

Kansas City Terminal Railway Company DAILY OPERATING BULLETIN

Number: 9960

Effective: 17:03 CST April 17, 2024
A total of 13 items are included in this Daily Operating Bulletin

00 Form A/F/O/X Bulletin Restrictions 13 Form C/TCM Bulletin Restrictions

Daily Operating Bulletin # 9960 contains restrictions, if any, that are in effect on the following line segments:

Line Segment:(Description)	Begin MP	End MP
Line Segment 1001: Starts at Congo on Mains 2 & 3 over Sheffield Flyover and at Rock Creek Jct on Mains 1 & 4 and continues west to Penn Ave. At Penn Ave, it continues west on Mains 3 & 4 to Adams St.Control Point.	0.000	8.912
Line Segment 1001X: Starts at the 1423 Switch at Adams St Control Point and continues towards KCT Mill St. yard	8.453X	8.675X
Line Segment 2001: Starts at Penn Ave and continues west on Mains 1 & 2 over the Argentine Skyway.	7.026	8.875
Line Segment 3001: Starts at Penn Ave and continues west on tracks 74 & 75 over the Highline.	7.026	9.790
Line Segment 4001: Starts at ATSF Jct and continues North to the Gooseneck	7.500	10.105
Line Segment 5001: Starts at 25th St and continues South on BN1 & BN2 to 30th St.	0.000	0.850
Line Segment 6001: Starts at Penn Ave and continues North on track 70 (Bluff Track).	7.191	9.655
Line Segment 7001: Starts at Adams St and continues North on track 354 to UP 18th St	8.362	8.512
Blue Valley Industrial Line: Industrial Branch off Sheffield (Track 243)	0.000	6.50
KCS Pittsburg Sub: Starts at West Wye and continues South on KCS Main to Blue Valley.	KCS 4.98	KCS 6.25
UP Coffeyville Sub: North/South across UPRR interlocking	UP 280.313	UP 280.598
UP Sedalia Sub: Starts at Rock Creek Jct and continues North on Southwest Jct	UP 276.700	UP 278.100

Phone: 816-627-0112

GCOR in effect: Effective April 1,2015

KCT Timetable in effect: Greater KC Area Operating Instructions dated January 1, 2020

KCT Highest General Order in effect: 9 KCT Highest General Notice in effect: 1

KCT East Dispatcher: Radio Channel 060 Touch tone 187

Handles Control Point Penn Ave and East

KCT West Dispatcher: Radio Channel 060 Touch tone 188 Phone: 816-627-0111

Handles Control Point BN Crossing and West including North/South Corridor

Restrictions for LINE SEGMENT 1001 (MP 0 TO MP 8.912)

Void	Item No.	Bulletin Number	Form		(=-====		
	1	8224	TCM	MP	to	MP	Track
				0.00		2.52	MAIN TWO MAIN THREE
				Watcl	h your fo	ooting along walkways due to loose ballast	
	2	8226	TCM	MP	to	MP	Track
				4.9		6.0	MAIN TWO MAIN THREE MAIN FOUR
						LOOKOUT FOR FALLEN VEGETATION ANI HT OF WAY	
_	3	8234	TCM	MP	to	MP	Track
						5.8 T FOR POOR FOOTING ALONG EAST SIDE O LLAPSED MAN HOLE.	MAIN TWO OF MAIN #2
	4	8239	TCM	MP	to	MP	Track
				west so of ma	side of tl in track	8.40 ooting due to construction on the east and he Kaw River Bridge along the north side 3. Looking out for new construction and lesignated by high visibility pink and	MAIN THREE
	5	8237	TCM	MP	to	MP	Track
				west so of ma	side of tl in track	8.35 ooting due to construction on the east and he Kaw River Bridge along the south side 4, looking out for new construction and lesignated by high visibility pink and	MAIN FOUR

Restrictions for LINE SEGMENT 2001 (MP 7.026 TO MP 8.875)

Void	Item	Bulletin	Form
	No.	Number	

THERE ARE NO BULLETINS ASSIGNED FOR LINE SEGMENT 2001 (MP 7.026 TO MP 8.875)

Restrictions for LINE SEGMENT 3001 (MP 7.026 TO MP 9.79)

Void	Item No.	Bulletin Number	Form				
	1	8242	TCM	MP	to	MP	Track
				7.50		8.63	74
							75
				WAT	СН ҮС	OUR FOOTING ALONG WALKWA	YS DUE TO LOOSE BALLAST
	2	8240	TCM	MP	to	MP	Track
				7.6		8.0	75
				WAL	KWAY	ON SOUTHSIDE OF 75 TRACK I	S OUT OF SERVICE
	3	8227	TCM	MP	to	MP	Track
				7.75		8.25	74
							75
				Cente service		way between tracks 74 md 75 is out o	f
	4	8243	TCM	MP	to	MP	Track
				8.22		8.35	75
							74
				walky servic		north and south side of tracks out of	

Restr	ictions	for LINE	SEGME	NT 4001 (M	P 7.5 TO) MP 10.105)		
Void	Item	Bulletin	Form	1					
	No.	Number							

THERE ARE NO BULLETINS ASSIGNED FOR LINE SEGMENT 4001 (MP 7.5 TO MP 10.105)

Restrictions for LINE SEGMENT 5001 (MP 0 TO MP 0.85)

Void	Item	Bulletin	Form
	No.	Number	

THERE ARE NO BULLETINS ASSIGNED FOR LINE SEGMENT 5001 (MP 0 TO MP 0.85)

Restrictions for LINE SEGMENT 6001 (MP 7.19 TO MP 9.655)

Void	Item Bulletin	Form
	No. Number	

THERE ARE NO BULLETINS ASSIGNED FOR LINE SEGMENT 6001 (MP 7.19 TO MP 9.655)

Restrictions for LINE SEGMENT 7001 (MP 8.362 TO MP 8.512)

Void	Item	Bulletin	Form	
	No.	Number		

THERE ARE NO BULLETINS ASSIGNED FOR LINE SEGMENT 7001 (MP 8.362 TO MP 8.512)

Restrictions for UP COFFEYVILLE (UP MP 280.313 TO UP MP 280.625)

Void	Item	Bulletin	Form
	No.	Number	

THERE ARE NO BULLETINS ASSIGNED FOR UP COFFEYVILLE (UP MP 280.313 TO UP MP 280.625)

Restrictions for UP SEDALIA (UP MP 276.7 TO UP MP 278.1)

THERE ARE NO BULLETINS ASSIGNED FOR UP SEDALIA (UP MP 276.7 TO UP MP 278.1)

Restrictions for KCS PITTSBURG (KCS MP 4.98 TO KCS MP 6.25)

Void	Item	Bulletin	Form
	No.	Number	

THERE ARE NO BULLETINS ASSIGNED FOR KCS PITTSBURG (KCS MP 4.98 TO KCS MP 6.25)

Restrictions for LINE SEGMENT 1001 X (MP 8.453X TO MP 8.675X)

Void	Item	Bulletin	Form
	No.	Number	

THERE ARE NO BULLETINS ASSIGNED FOR LINE SEGMENT 1001 X (MP 8.453X TO MP 8.675X)

Restrictions for BLUE VALLEY INDUSTRIAL LEAD (MP 0 TO MP 6.5)

Void	Item	Bulletin	Form
	No.	Number	

THERE ARE NO BULLETINS ASSIGNED FOR BLUE VALLEY INDUSTRIAL LEAD (MP 0 TO MP 6.5)

Restrictions for ALL Lines

Void	Item No.	Bulletin Number	Form		
	1	7280	C	SYSTEM WIDE	Track
				WATCH YOUR FOOTING ALONG FENCE ON NORTH S 278 AND TRACK 280 BETWEEN MP 6.52 AND MP 6.77, I SEGMENT 1001.	
	2	7289	C	SYSTEM WIDE	Track
				WATCH YOUR FOOTING ON KAW BRIDGE MAIN THR FOUR BETWEEN MP 8.2 AND MP 8.3 LINE SEGMENT 1001	ALL TRACKS EE AND MAIN
	3	7290	C	SYSTEM WIDE	Track
				Crews operating across the Kansas City Terminal Railway trackage must have a current copy of the Greater Kansas City Operating Instructions dated September 1, 2023 in their possession and review all Kansas City Terminal	ALL TRACKS

Void	Item No.	Bulletin Number	Form	Restrictions for Restrictions for ALL LINES	
				Railway General Notices and General Orders before beginning each day's work or trip.	
				All modifications to the Greater Kansas City Operating Instructions are made in the aforementioned General Orders.	
				Please contact your administrator to obtain the newest version of the GKCOI with the effective date of September 1, 2023.	
				A copy can also be found on KCT Website at https://kctrailway.com/tools/	
_	4	7293	C	SYSTEM WIDE	Track
					ALL TRACKS

30TH ST CROSSING AT GLENN PARK INDUSTRIAL LEAD IS OOS PER BNSF SIGNAL DEPARTMENT. STOP AND PROTECT MOVEMENT PER RULE 6.32.2

	Verbally Issu	ued Form A Resti	riction				
To:	FORM	1 A - Track Bulletin #					
Between MP	Line Seg	and MP	Line Seg				
Do Not Exceed	MF	PH On Track	No Flags Displayed				
Comments:							
OK Time:	Date:	Disp					
	Verbally Issu	ued Form A Resti	riction				
To:	FORM	A - Track Bulletin #					
Between MP	Line Seg	and MP	Line Seg				
Do Not Exceed	MF	PH On Track	No Flags Displayed				
Comments:							
OK Time:	Date:	Disp					
	Verbally Issu	ued Form B Resti	riction				
To:	FORM	IB - Track Bulletin #					
Date:	From:	Until:					
Between MP:	Line Seg	and MP	Line Seg				
On Track(s):		Foreman:					
Comments:							
OK Time:	Date:	Disp					
	Verbally Issu	ued Form B Resti	riction				
To:	FORM	IB - Track Bulletin #					
Date:	From:	Until:					
Between MP:	Line Seg	and MP	Line Seg				
On Track(s):		Foreman:					
Comments:							
OK Time:	Date:	Disp					

	Verbally Issu	led Form C Res	triction	
To:	FORM	I C - Track Bulletin #		
Between MP	Line Seg	and MP	Line Seg	
On Track(s):				
				_
				_
OK Time:	Date:	Disp		
	Verbally Issu	ued Form C Res	triction	
To:	FORM	1 C - Track Bulletin #		
Between MP	Line Seg	and MP	Line Seg	
On Track(s):				
Comments:				
OK Time:	Date:	Disp		
	Verbally Issu	ued Form F Rest	triction	
To:	FORM	1 F - Track Bulletin #		
Date:	From:	Until:		
Between MP:	Line Seg	and MP	Line Seg	
On Track(s):		Flagma	an:	
Contact Flagman b	efore entering limits.			
If unable to contact	flagman, train may ent	er the limits at Restrict	ed Speed.	
Comments:				
OK Time:	Date:	Disp		
	Verbally Issu	ued Form F Rest	triction	
To:	FORM	1 F - Track Bulletin #		
Date:	From:	Until:		
Between MP:	Line Seg	and MP	Line Seg	
On Track(s):		Flagma	an:	
Contact Flagman b	efore entering limits.			
If unable to contact	flagman, train may ent	er the limits at Restrict	ed Speed.	
Comments:				_
OK Time:	Date:	Disp		

	Verbally Iss	ued Form O Restr	riction	
	(Tr	ack Out of Service)		
To:	FORI	M O - Track Bulletin #		
Between MP	Line Seg	and MP	Line Seg	
On Track	Is Rer	noved from Service per G	SCOR 15.4 in charge of	
EIC:	Comments:			
OK Time:	Date:	Disp		
	Verbally Iss	ued Form O Restr	riction	
	(Tr	ack Out of Service)		
To:	FORI	M O - Track Bulletin #		
Between MP	Line Seg	and MP	Line Seg	
On Track	Is Rer	moved from Service per G	SCOR 15.4 in charge of	
EIC:	Comments:			
OK Time:	Date:	Disp		
	Verbally Iss	ued Form O Restr	riction	
	(Blo	ocked by Equipment)		
To:	FORI	M O - Track Bulletin #		
Between MP	Line Seg	and MP	Line Seg	
On Track		_ Track Blocked with Equ	ipment.	
Make all movements	at Restricted Speed	(GCOR 6.27).		
Comments:				
OK Time:	Date:	Disp		
	Verbally Iss	ued Form O Restr	riction	
	(Blo	ocked by Equipment)		
To:	FORI	M O - Track Bulletin #		
Between MP	Line Seg	and MP	Line Seg	
On Track		_ Track Blocked with Equ	ipment.	
Make all movements	at Restricted Speed	(GCOR 6.27).		
Comments:				
OK Time:	Date:	Disp		

	_		riction	
	•	,		
_	_		,	
	lure. Stop and protect	movement over crossi	ng even if devices are	
en to be working				
OK Time:	Date:	Disp		
	Verbally Issu	ued Form X Rest	riction	
	(D	isabled Crossing)		
	FORM	1 X - Track Bulletin #		
Automatic Crossing	Warning Devices at I	MP (Nan	ne)	
ve been disabled.	Stop and protect move	ement over crossing ev	en if devices are	
en to be working				
OK Time:	Date:	Disp		
	Verhally lesi	and Form Y Rost	riction	
	_			
	•	ζ,		
_	_		ne)	
OK Time:	Date:	Disp		
	Verbally Is:	sued TCM Restri	iction	
	(Track	Condition Message)		
	Track	Condition Message #_		
veen MP	Line Seg	and MP	Line Seg	
n Track				
omments:				_
				_
				_
				_
OK Time:	Date:	Disp		
	Automatic Crossing ve an activation fair en to be working Track:	Cross FORM Automatic Crossing Warning Devices at I we an activation failure. Stop and protect en to be working Track: OK Time: Date: Verbally Issu (D FORM Automatic Crossing Warning Devices at I we been disabled. Stop and protect move en to be working OK Time: Date: Verbally Issu (Malfit FORM Automatic Crossing Warning Devices at I e malfunctioning. Protect per GCOR Rul Track: OK Time: Date: Verbally Issu (Track Track Veen MP Line Seg On Track Omments: Comments: Comments: Comments:	(Crossing Activation Failure) FORM X - Track Bulletin #	FORM X - Track Bulletin #

WHEN AUTHORIZED TO PASS STOP INDICATION:								
"AFTER STOPPING,AT(ENGINE #) (LOCATION)	HAS AUTHORITY TO PASS							
SIGNAL DISPLAYING STOP INDICATION (·							
ADD ROUTE & DIREC	TION IF NECESSARY							
WHEN AUTHORIZED TO ENTER CTC:								
" AT HAS AUTHORIT' (ENGINE #) (LOCATION)	Y TO ENTER (TRACK)							
AND PROCEED"								



Kansas City Terminal Railway

Track and Time No:		Date:					
To:			At:				
Authority Granted on	·						
BETWEEN	Northbound	Eastbound		Signal	at		
And	Southbound Northbound	Westbound Eastbound		Switch Signal	at		
	Southbound			_			
Begin Time:	Unitl Time	e:		Mi	nute No	otice to Clear	
Following:						_	
Joint With:						_	
OK Time:		Dispatcher:					
Authority Released be	etween	and _		_ at		<u> </u>	
Authority Released be	etween	and _		_ at		·	
Authority Released be	etween	and _		_ at			
Authority Released be	etween	and		_ at			
Authority No	Released at:		Dispatcher:				
KCT			Kansas City			lway	
Track and Time i	No:						
То:			At:				
Authority Granted on							
BETWEEN	Northbound Southbound	Eastbound Westbound		Signal Switch	at		
And	Northbound	Eastbound		Signal	at		
	Southbound	Westbound		Switch			
Begin Time:	UnitI Time	e:		Mi	nute No	otice to Clear	
Following:						_	
Joint With:						_	
OK Time:		Dispatcher:					
Authority Released be	etween	and _		_ at		<u>_</u> .	
Authority Released be	etween	and _		_ at		<u> </u>	
Authority Released be	etween	and		_ at		·	
Authority Released be	etween	and _		_ at			
Authority No	Released at:		_ Dispatcher:		_		