



Kansas City Terminal Railway Company
DAILY OPERATING BULLETIN

Number: **9333**

Effective: **17:00 CST April 14, 2025**

A total of 17 items are included in this Daily Operating Bulletin

00 Form A/F/O/X Bulletin Restrictions
 17 Form C/TCM Bulletin Restrictions

Daily Operating Bulletin # 9333 contains restrictions, if any, that are in effect on the following line segments:

Line Segment:(Description)	Begin MP	End MP
Line Segment 1001: Starts at Congo on Mains 2 & 3 over Sheffield Flyover and at Rock Creek Jct on Mains 1 & 4 and continues west to Penn Ave. At Penn Ave, it continues west on Mains 3 & 4 to Adams St.Control Point.	0.000	8.912
Line Segment 1001X: Starts at the 1423 Switch at Adams St Control Point and continues towards KCT Mill St. yard	8.453X	8.675X
Line Segment 2001: Starts at Penn Ave and continues west on Mains 1 & 2 over the Argentine Skyway.	7.026	8.875
Line Segment 3001: Starts at Penn Ave and continues west on tracks 74 & 75 over the Highline.	7.026	9.790
Line Segment 4001: Starts at ATSF Jct and continues North to the Gooseneck	7.500	10.105
Line Segment 5001: Starts at 25th St and continues South on BN1 & BN2 to 30th St.	0.000	0.850
Line Segment 6001: Starts at Penn Ave and continues North on track 70 (Bluff Track).	7.191	9.655
Line Segment 7001: Starts at Adams St and continues North on track 354 to UP 18th St	8.362	8.512
Blue Valley Industrial Line: Industrial Branch off Sheffield (Track 243)	0.000	6.50
KCS Pittsburg Sub: Starts at West Wye and continues South on KCS Main to Blue Valley.	KCS 4.98	KCS 6.25
UP Coffeyville Sub: North/South across UPRR interlocking	UP 280.313	UP 280.598
UP Sedalia Sub: Starts at Rock Creek Jct and continues North on Southwest Jct	UP 276.700	UP 278.100

GCOR in effect: Effective April 1,2020

KCT Timetable in effect: Greater KC Area Operating Instructions dated January 1, 2020

KCT Highest General Order in effect: 1

KCT Highest General Notice in effect: 1

KCT East Dispatcher: Radio Channel 060 Touch tone 187

Phone: 816-627-0112

Handles Control Point Penn Ave and East

KCT West Dispatcher: Radio Channel 060 Touch tone 188

Phone: 816-627-0111

Handles Control Point BN Crossing and West including North/South Corridor

Restrictions for LINE SEGMENT 1001 (MP 0 TO MP 8.912)

Void	Item No.	Bulletin Number	Form				
—	1	8224	TCM	MP	to	MP	Track
				0.00		2.52	MAIN TWO MAIN THREE
				Watch your footing along walkways due to loose ballast			
—	2	8250	TCM	MP	to	MP	Track
				0.1		0.4	MAIN TWO
				WATCH YOUR FOOTING NO WALKWAY..			
—	3	8248	TCM	MP	to	MP	Track
				0.18		0.20	MAIN THREE
				WATCH FOR MISSING AND/OR DAMAGED HANDRAIL ON ROCK CREEK BRIDGE AT MP 0.19.			
—	4	8226	TCM	MP	to	MP	Track
				4.9		6.0	MAIN TWO MAIN THREE MAIN FOUR
				BE ON THE LOOKOUT FOR FALLEN VEGETATION AND DEBRIS ALONG RIGHT OF WAY			
—	5	8234	TCM	MP	to	MP	Track
				5.8		5.8	MAIN TWO
				WATCH OUT FOR POOR FOOTING ALONG EAST SIDE OF MAIN #2 DUE TO COLLAPSED MAN HOLE.			
—	6	8246	TCM	MP	to	MP	Track
				6.08		6.09	MAIN TWO
				WATCH YOUR FOOTING FOR OPEN HOLES ALONG NORTH SIDE OF MAIN 2 AT GRAND AVE. LINE SEGMENT 1001.			

Restrictions for LINE SEGMENT 1001 (MP 0 TO MP 8.912)

Void	Item	Bulletin	Form				
	No.	Number		MP	to	MP	Track
—	7	8244	TCM	7.59		8.05	924 926
<p>Watch your footing due to construction between tracks 924 and 926 from MP 7.59 to MP 8.05. Caisson drillings covered by steel plates and marked by high visibility paint located between tracks 924 and 926.</p>							
—	8	8239	TCM	8.22		8.40	MAIN THREE
<p>Watch your footing due to construction on the east and west side of the Kaw River Bridge along the north side of main track 3. Looking out for new construction and open trench designated by high visibility pink and orange paint.</p>							
—	9	8237	TCM	8.23		8.35	MAIN FOUR
<p>Watch your footing due to construction on the east and west side of the Kaw River Bridge along the south side of main track 4, looking out for new construction and open trench designated by high visibility pink and orange paint.</p>							

Restrictions for LINE SEGMENT 2001 (MP 7.026 TO MP 8.875)

Void	Item	Bulletin	Form				
	No.	Number					
<p>THERE ARE NO BULLETINS ASSIGNED FOR LINE SEGMENT 2001 (MP 7.026 TO MP 8.875)</p>							

Restrictions for LINE SEGMENT 3001 (MP 7.026 TO MP 9.79)

Void	Item	Bulletin	Form				
No.	No.	Number		MP	to	MP	Track
—	1	8242	TCM	7.50		8.63	74 75
WATCH YOUR FOOTING ALONG WALKWAYS DUE TO LOOSE BALLAST							

Restrictions for LINE SEGMENT 4001 (MP 7.5 TO MP 10.105)

Void	Item	Bulletin	Form				
No.	No.	Number		MP	to	MP	Track
—	1	8247	TCM	7.89		7.83	2088
NO WALKING BETWEEN RUNNING TRACK FIVE AND TRACK 2088.							

Restrictions for LINE SEGMENT 5001 (MP 0 TO MP 0.85)

Void	Item	Bulletin	Form				
No.	No.	Number		MP	to	MP	Track
THERE ARE NO BULLETINS ASSIGNED FOR LINE SEGMENT 5001 (MP 0 TO MP 0.85)							

Restrictions for LINE SEGMENT 6001 (MP 7.19 TO MP 9.655)

Void	Item	Bulletin	Form				
No.	No.	Number		MP	to	MP	Track
THERE ARE NO BULLETINS ASSIGNED FOR LINE SEGMENT 6001 (MP 7.19 TO MP 9.655)							

Restrictions for LINE SEGMENT 7001 (MP 8.362 TO MP 8.512)

Void	Item	Bulletin	Form
No.		Number	

THERE ARE NO BULLETINS ASSIGNED FOR LINE SEGMENT 7001 (MP 8.362 TO MP 8.512)

Restrictions for UP COFFEYVILLE (UP MP 280.313 TO UP MP 280.625)

Void	Item	Bulletin	Form
No.		Number	

THERE ARE NO BULLETINS ASSIGNED FOR UP COFFEYVILLE (UP MP 280.313 TO UP MP 280.625)

Restrictions for UP SEDALIA (UP MP 276.7 TO UP MP 278.1)

Void	Item	Bulletin	Form
No.		Number	

THERE ARE NO BULLETINS ASSIGNED FOR UP SEDALIA (UP MP 276.7 TO UP MP 278.1)

Restrictions for KCS PITTSBURG (KCS MP 4.98 TO KCS MP 6.25)

Void	Item	Bulletin	Form
No.		Number	

THERE ARE NO BULLETINS ASSIGNED FOR KCS PITTSBURG (KCS MP 4.98 TO KCS MP 6.25)

Restrictions for LINE SEGMENT 1001 X (MP 8.453X TO MP 8.675X)

Void	Item	Bulletin	Form
No.		Number	

THERE ARE NO BULLETINS ASSIGNED FOR LINE SEGMENT 1001 X (MP 8.453X TO MP 8.675X)

Restrictions for BLUE VALLEY INDUSTRIAL LEAD (MP 0 TO MP 6.5)

Void	Item	Bulletin	Form
No.		Number	

THERE ARE NO BULLETINS ASSIGNED FOR BLUE VALLEY INDUSTRIAL LEAD (MP 0 TO MP 6.5)

Restrictions for ALL Lines

Void	Item No.	Bulletin Number	Form		
—	1	7280	C	SYSTEM WIDE	Track
					ALL TRACKS
				WATCH YOUR FOOTING ALONG FENCE ON NORTH SIDE OF TRACK 278 AND TRACK 280 BETWEEN MP 6.52 AND MP 6.77, LINE SEGMENT 1001.	
—	2	7289	C	SYSTEM WIDE	Track
					ALL TRACKS
				WATCH YOUR FOOTING ON KAW BRIDGE MAIN THREE AND MAIN FOUR BETWEEN MP 8.2 AND MP 8.3 LINE SEGMENT 1001	
—	3	7290	C	SYSTEM WIDE	Track
					ALL TRACKS
				Crews operating across the Kansas City Terminal Railway trackage must have a current copy of the Greater Kansas City Operating Instructions dated September 1, 2023 in their possession and review all Kansas City Terminal Railway General Notices and General Orders before beginning each day's work or trip.	
				All modifications to the Greater Kansas City Operating Instructions are made in the aforementioned General Orders.	
				Please contact your administrator to obtain the newest version of the GKCOI with the effective date of September 1, 2023.	
				A copy can also be found on KCT Website at https://kctrailway.com/tools/	
—	4	7294	C	SYSTEM WIDE	Track
					ALL TRACKS
				Line segment 4001 Between MP 7.50 and MP 7.85 be on the lookout for uneven footing and construction material laying around ALL tracks at/near ATSF Jct.	

Void	Item No.	Bulletin Number	Form	Restrictions for Restrictions for ALL LINES	
------	----------	-----------------	------	--	--

—	5	7200	C	SYSTEM WIDE	Track
				ALL TRACKS NO WALKING ON NORTH SIDE OF CATWALK ON OPEN DECK TIMBER TRESTLE BRIDGE AT UPRR MP 444.54 ON UP RIVER SUB.	

—	6	7214	C	SYSTEM WIDE	Track
				ALL TRACKS AT 0800, 10 APRIL 2025, THE 30TH ST. CROSSING FOR THE GLEN PARK INDUSTRIAL LEAD, AS WELL AS, THE ASSOCIATED INDUSTRIAL TRACK CROSSING WILL TRANSITION TO A STOP AND WAIT ISLAND ONLY CROSSING FOR BOTH OF THESE TRACKS. TRAINS WILL PULL UP TO THE STOP AND WAIT 35 SECOND SIGN. FLASHERS AND GATES WILL OPERATE, AND TRAIN WILL BE ABLE TO PROCEED THRU CROSSING. EIC MOSSMAN.	

Verbally Issued Form A Restriction

To: _____ FORM A - Track Bulletin # _____
Between MP _____ Line Seg _____ and MP _____ Line Seg _____
Do Not Exceed _____ MPH On Track _____ No Flags Displayed
Comments: _____
OK Time: _____ Date: _____ Disp. _____

Verbally Issued Form A Restriction

To: _____ FORM A - Track Bulletin # _____
Between MP _____ Line Seg _____ and MP _____ Line Seg _____
Do Not Exceed _____ MPH On Track _____ No Flags Displayed
Comments: _____
OK Time: _____ Date: _____ Disp. _____

Verbally Issued Form B Restriction

To: _____ FORM B - Track Bulletin # _____
Date: _____ From: _____ Until: _____
Between MP: _____ Line Seg _____ and MP _____ Line Seg _____
On Track(s): _____ Foreman: _____
Comments: _____
OK Time: _____ Date: _____ Disp. _____

Verbally Issued Form B Restriction

To: _____ FORM B - Track Bulletin # _____
Date: _____ From: _____ Until: _____
Between MP: _____ Line Seg _____ and MP _____ Line Seg _____
On Track(s): _____ Foreman: _____
Comments: _____
OK Time: _____ Date: _____ Disp. _____

Verbally Issued Form C Restriction

To: _____ FORM C - Track Bulletin # _____
Between MP _____ Line Seg _____ and MP _____ Line Seg _____
On Track(s): _____
Comments: _____

OK Time: _____ Date: _____ Disp. _____

Verbally Issued Form C Restriction

To: _____ FORM C - Track Bulletin # _____
Between MP _____ Line Seg _____ and MP _____ Line Seg _____
On Track(s): _____
Comments: _____

OK Time: _____ Date: _____ Disp. _____

Verbally Issued Form F Restriction

To: _____ FORM F - Track Bulletin # _____
Date: _____ From: _____ Until: _____
Between MP: _____ Line Seg _____ and MP _____ Line Seg _____
On Track(s): _____ Flagman: _____
Contact Flagman before entering limits.
If unable to contact flagman, train may enter the limits at Restricted Speed.
Comments: _____
OK Time: _____ Date: _____ Disp. _____

Verbally Issued Form F Restriction

To: _____ FORM F - Track Bulletin # _____
Date: _____ From: _____ Until: _____
Between MP: _____ Line Seg _____ and MP _____ Line Seg _____
On Track(s): _____ Flagman: _____
Contact Flagman before entering limits.
If unable to contact flagman, train may enter the limits at Restricted Speed.
Comments: _____
OK Time: _____ Date: _____ Disp. _____

Verbally Issued Form O Restriction

(Track Out of Service)

To: _____ FORM O - Track Bulletin # _____

Between MP _____ Line Seg _____ and MP _____ Line Seg _____

On Track _____ Is Removed from Service per GCOR 15.4 in charge of

EIC: _____ Comments: _____

OK Time: _____ Date: _____ Disp. _____

Verbally Issued Form O Restriction

(Track Out of Service)

To: _____ FORM O - Track Bulletin # _____

Between MP _____ Line Seg _____ and MP _____ Line Seg _____

On Track _____ Is Removed from Service per GCOR 15.4 in charge of

EIC: _____ Comments: _____

OK Time: _____ Date: _____ Disp. _____

Verbally Issued Form O Restriction

(Blocked by Equipment)

To: _____ FORM O - Track Bulletin # _____

Between MP _____ Line Seg _____ and MP _____ Line Seg _____

On Track _____ Track Blocked with Equipment.

Make all movements at Restricted Speed (GCOR 6.27).

Comments: _____

OK Time: _____ Date: _____ Disp. _____

Verbally Issued Form O Restriction

(Blocked by Equipment)

To: _____ FORM O - Track Bulletin # _____

Between MP _____ Line Seg _____ and MP _____ Line Seg _____

On Track _____ Track Blocked with Equipment.

Make all movements at Restricted Speed (GCOR 6.27).

Comments: _____

OK Time: _____ Date: _____ Disp. _____

Verbally Issued Form X Restriction

(Crossing Activation Failure)

To: _____ FORM X - Track Bulletin # _____
Automatic Crossing Warning Devices at MP _____ (Name) _____
have an activation failure. Stop and protect movement over crossing even if devices are
seen to be working
Track: _____
OK Time: _____ Date: _____ Disp. _____

Verbally Issued Form X Restriction

(Disabled Crossing)

To: _____ FORM X - Track Bulletin # _____
Automatic Crossing Warning Devices at MP _____ (Name) _____
have been disabled. Stop and protect movement over crossing even if devices are
seen to be working
OK Time: _____ Date: _____ Disp. _____

Verbally Issued Form X Restriction

(Malfunctioning Crossing)

To: _____ FORM X - Track Bulletin # _____
Automatic Crossing Warning Devices at MP _____ (Name) _____
are malfunctioning. Protect per GCOR Rule 6.32 (A).
Track: _____
OK Time: _____ Date: _____ Disp. _____

Verbally Issued TCM Restriction

(Track Condition Message)

To: _____ Track Condition Message # _____
Between MP _____ Line Seg _____ and MP _____ Line Seg _____
On Track _____
Comments: _____

OK Time: _____ Date: _____ Disp. _____

WHEN AUTHORIZED TO PASS STOP INDICATION:

"AFTER STOPPING, _____ AT _____ HAS AUTHORITY TO PASS
(ENGINE #) (LOCATION)

SIGNAL DISPLAYING STOP INDICATION (_____.)"
ADD ROUTE & DIRECTION IF NECESSARY

WHEN AUTHORIZED TO ENTER CTC:

"_____ AT _____ HAS AUTHORITY TO ENTER _____
(ENGINE #) (LOCATION) (TRACK)

AND PROCEED _____"
(DIRECTION)



Kansas City Terminal Railway

Track and Time No: _____ Date: _____

To: _____ At: _____

Authority Granted on: _____

BETWEEN	Northbound	Eastbound	Signal	at
	Southbound	Westbound	Switch	_____
And	Northbound	Eastbound	Signal	at
	Southbound	Westbound	Switch	_____

Begin Time: _____ Unitl Time: _____ Minute Notice to Clear

Following: _____

Joint With: _____

OK Time: _____ Dispatcher: _____

Authority Released between _____ and _____ at _____.

Authority Released between _____ and _____ at _____.

Authority Released between _____ and _____ at _____.

Authority Released between _____ and _____ at _____.

Authority No. _____ Released at: _____ Dispatcher: _____



Kansas City Terminal Railway

Track and Time No: _____ Date: _____

To: _____ At: _____

Authority Granted on: _____

BETWEEN	Northbound	Eastbound	Signal	at
	Southbound	Westbound	Switch	_____
And	Northbound	Eastbound	Signal	at
	Southbound	Westbound	Switch	_____

Begin Time: _____ Unitl Time: _____ Minute Notice to Clear

Following: _____

Joint With: _____

OK Time: _____ Dispatcher: _____

Authority Released between _____ and _____ at _____.

Authority Released between _____ and _____ at _____.

Authority Released between _____ and _____ at _____.

Authority Released between _____ and _____ at _____.

Authority No. _____ Released at: _____ Dispatcher: _____