

Kansas City Terminal Railway Company DAILY OPERATING BULLETIN

<u>Number:</u> 9530

Effective: 17:00 CST October 20, 2025
A total of 9 items are included in this Daily Operating Bulletin

08 Form C/TCM Bulletin Restrictions

O1 Form A/F/O/X Bulletin Restrictions

Daily Operating Bulletin # 9530 contains restrictions, if any, that are in effect on the following line segments:

Line Segment:(Description)	Begin MP	End MP
Line Segment 1001: Starts at Congo on Mains 2 & 3 over Sheffield Flyover and at Rock Creek Jct on Mains 1 & 4 and continues west to Penn Ave. At Penn Ave, it continues west on Mains 3 & 4 to Adams St.Control Point.	0.000	8.912
Line Segment 1001X: Starts at the 1423 Switch at Adams St Control Point and continues towards KCT Mill St. yard	8.453X	8.675X
Line Segment 2001: Starts at Penn Ave and continues west on Mains 1 & 2 over the Argentine Skyway.	7.026	8.875
Line Segment 3001: Starts at Penn Ave and continues west on tracks 74 & 75 over the Highline.	7.026	9.790
Line Segment 4001: Starts at ATSF Jct and continues North to the Gooseneck	7.500	10.105
Line Segment 5001: Starts at 25th St and continues South on BN1 & BN2 to 30th St.	0.000	0.850
Line Segment 6001: Starts at Penn Ave and continues North on track 70 (Bluff Track).	7.191	9.655
Line Segment 7001: Starts at Adams St and continues North on track 354 to UP 18th St	8.362	8.512
Blue Valley Industrial Line: Industrial Branch off Sheffield (Track 243)	0.000	6.50
KCS Pittsburg Sub: Starts at West Wye and continues South on KCS Main to Blue Valley.	KCS 4.98	KCS 6.25
UP Coffeyville Sub: North/South across UPRR interlocking	UP 280.313	UP 280.598
UP Sedalia Sub: Starts at Rock Creek Jct and continues North on Southwest Jct	UP 276.700	UP 278.100

Phone: 816-627-0112

GCOR in effect: Effective April 1,2020

KCT Timetable in effect: Greater KC Area Operating Instructions dated January 1, 2020

KCT Highest General Order in effect: 1KCT Highest General Notice in effect: 1

KCT East Dispatcher: Radio Channel 060 Touch tone 187

Handles Control Point Penn Ave and East

KCT West Dispatcher: Radio Channel 060 Touch tone 188 Phone: 816-627-0111

Handles Control Point BN Crossing and West including North/South Corridor

Restrictions for LINE SEGMENT 1001 (MP 0 TO MP 8.912)

Void	Item No.	Bulletin Number	Form		(
	1	8224	TCM	MP	to	MP	Track
				0.00		2.52	MAIN TWO MAIN THREE
				Watch	n your fo	ooting along walkways due to loose ballast	
	2	8248	TCM	MP	to	MP	Track
						0.20 R MISSING AND/OR DAMAGED HANDRAIL C MP 0.19.	MAIN THREE ON ROCK CREEK
	3	8258	TCM	MP	to	MP	Track
						2.5 E FIELD SIDE OF M3 FROM MP 0.3 TO MP 2.5 E TO WALK, CONGO TO INDEPENDENCE AV	
	4	8257	TCM	MP	to	MP	Track
						2.5 E FIELD SIDE OF M2 FROM MP 0.4 TO MP 2.5 E TO WALK, CONGO TO INDEPENDENCE AV	
	5	8256	TCM	MP	to	MP	Track
				2.9		3.3	MAIN TWO MAIN THREE MAIN FOUR
				Watch	out for	rail laying between all mains.	

	Item No.	Bulletin Number	Form			
			BULLETINS	S ASSIGNED	FOR LINE SEGMI	ENT 2001 (MP 7.026 TO MP 8.875)
				3001 (MP 7	.026 TO MP 9.79))
Void	Item No.	Bulletin Number	Form			
	THER	RE ARE NO	BULLETINS	S ASSIGNED	FOR LINE SEGMI	ENT 3001 (MP 7.026 TO MP 9.79)
Restr Void	ictions Item No.	for LINE Bulletin Number	SEGMENT Form	4001 (MP 7	.5 TO MP 10.105	5)
	110.	Tullioci				
	1	8253	TCM	MP to	MP	Track
			TCM	8.4	9.1 LKING OR DRIVI	Track BN ONE ING WATCH OUT FOR SCRAP RAIL IN
	1	8253 for LINE		8.4 WHILE WA THE AREA.	9.1 LKING OR DRIVI	BN ONE

THERE ARE NO BULLETINS ASSIGNED FOR LINE SEGMENT 6001 (MP 7.19 TO MP 9.655)

Void Item

No.

Bulletin

Number

Form

Restrictions for LINE SEGMENT 7001 (MP 8.362 TO MP 8.512)

Void	Item	Bulletin	Form
	No.	Number	

THERE ARE NO BULLETINS ASSIGNED FOR LINE SEGMENT 7001 (MP 8.362 TO MP 8.512)

Restrictions for UP COFFEYVILLE (UP MP 280.313 TO UP MP 280.625)

Void	Item	Bulletin	Form
	No.	Number	

THERE ARE NO BULLETINS ASSIGNED FOR UP COFFEYVILLE (UP MP 280.313 TO UP MP 280.625)

Restrictions for UP SEDALIA (UP MP 276.7 TO UP MP 278.1)

Void	Item No.	Bulletin Number	Form								
	1	4241	A	MP	to	MP	HER		Speed	Track	
				276.82		276.85			10	KCS MAIN	
				NO FLAGS DISPLAYED							

Restrictions for KCS PITTSBURG (KCS MP 4.98 TO KCS MP 6.25)

Void	Item	Bulletin	Form
	No.	Number	

THERE ARE NO BULLETINS ASSIGNED FOR KCS PITTSBURG (KCS MP 4.98 TO KCS MP 6.25)

Restrictions for LINE SEGMENT 1001 X (MP 8.453X TO MP 8.675X)

THERE ARE NO BULLETINS ASSIGNED FOR LINE SEGMENT 1001 X (MP 8.453X TO MP 8.675X)

Restrictions for BLUE VALLEY INDUSTRIAL LEAD (MP 0 TO MP 6.5)

Void	Item	Bulletin	Form
	No.	Number	

THERE ARE NO BULLETINS ASSIGNED FOR BLUE VALLEY INDUSTRIAL LEAD (MP 0 TO MP 6.5)

Restrictions for ALL Lines

Void	Item No.	Bulletin Number	Form		
	1	7290	C	SYSTEM WIDE	Track
				Crews operating across the Kansas City Terminal Railway trackage must have a current copy of the Greater Kansas City Operating Instructions dated September 1, 2023 in their possession and review all Kansas City Terminal Railway General Notices and General Orders before beginning each day's work or trip. All modifications to the Greater Kansas City Operating Instructions are made in the aforementioned General Orders. Please contact your administrator to obtain the newest version of the GKCOI with the effective date of September 1, 2023. A copy can also be found on KCT Website at https://kctrailway.com/tools/	ALL TRACKS
	2	7200	C	SYSTEM WIDE	Track

ALL TRACKS

NO WALKING ON NORTH SIDE OF CATWALK ON OPEN DECK TIMBER TRESTLE BRIDGE AT UPRR MP 444.54 ON UP RIVER SUB.

	Verbally Iss	ued Form A Rest	riction
To:	FORM	/I A - Track Bulletin #	
Between MP	Line Seg	and MP	Line Seg
Do Not Exceed	MF	PH On Track	No Flags Displayed
Comments:			
OK Time:	Date:	Disp	
	Verbally Issu	ued Form A Rest	riction
To:	FORM	/I A - Track Bulletin #	
Between MP	Line Seg	and MP	Line Seg
Do Not Exceed	MF	PH On Track	No Flags Displayed
Comments:			
OK Time:	Date:	Disp	
	Verbally Issu	ued Form B Rest	riction
To:	FORM	/I B - Track Bulletin #	
Date:	From:	Until:	
Between MP:	Line Seg	and MP	Line Seg
On Track(s):		Foreman:	
Comments:			
OK Time:	Date:	Disp	
	Verbally Iss	ued Form B Rest	riction
To:	FORM	/I B - Track Bulletin #	
Date:	From:	Until:	
Between MP:	Line Seg	and MP	Line Seg
On Track(s):		Foreman:	
Comments:			
OK Time:	Date:	Disp	

	Verbally Issu	ued Form C Res	triction	
To:	FORM	1 C - Track Bulletin #		
Between MP	Line Seg	and MP	Line Seg	
On Track(s):				
OK Time:	Date:	Disp		
	Verbally Issu	ued Form C Res	triction	
To:	FORM	1 C - Track Bulletin #		
Between MP	Line Seg	and MP	Line Seg	<u></u>
On Track(s):				
OK Time:	Date:	Disp		
		·		
	Verbally Issu	ued Form F Res	triction	
To:	FORM	1 F - Track Bulletin #		
Date:	From:	Until:		
Between MP:	Line Seg	and MP	Line Seg	
On Track(s):		Flagma	an:	
Contact Flagman be	efore entering limits.			
If unable to contact	flagman, train may ent	er the limits at Restrict	ed Speed.	
Comments:				
OK Time:	Date:	Disp		
	Verbally Issu	ued Form F Res	triction	
To:	FORM	1 F - Track Bulletin #		
Date:	From:	Until:		
Between MP:	Line Seg	and MP	Line Seg	
On Track(s):		Flagma	an:	
Contact Flagman be	efore entering limits.			
If unable to contact	flagman, train may ent	er the limits at Restrict	ed Speed.	
Comments:				
OK Time:	Date:	Disp		

	•	ued Form O Rest	riction	
_		ack Out of Service)		
		M O - Track Bulletin #		
	_		Line Seg	
		noved from Service per (_	
OK Time:	Date:	Disp		
	Verbally Iss	ued Form O Rest	riction	
	(Tr	ack Out of Service)		
To:	FORI	M O - Track Bulletin #		
Between MP	Line Seg	and MP	Line Seg	
On Track	Is Ren	noved from Service per (GCOR 15.4 in charge of	
EIC:	Comments:			
OK Time:	Date:	Disp		
	•	ued Form O Rest	riction	
To:	FORI	M O - Track Bulletin #		
Between MP	Line Seg	and MP	Line Seg	
On Track		_ Track Blocked with Equ	uipment.	
Make all movemer	its at Restricted Speed	(GCOR 6.27).		
Comments:				
OK Time:	Date:	Disp		
	Verbally Iss	ued Form O Rest	riction	
	(Blo	cked by Equipment)		
To:	FORI	M O - Track Bulletin #		
Between MP	Line Seg	and MP	Line Seg	
On Track		_ Track Blocked with Equ	uipment.	
Make all movemer	its at Restricted Speed	(GCOR 6.27).		
Comments:				
OK Time:	Date:	Disp		

	•	sing Activation Failure		
То:	FORM	/I X - Track Bulletin #		
		ices at MP (Name)		
	on failure. Stop and protec			
seen to be worki			ŭ	
Track:				
	Date:			
	•	ued Form X Restriction	striction	
To:	FORM	/I X - Track Bulletin #_		
Automatic Cros	ssing Warning Devices at	MP (Na	ame)	
have been disab	led. Stop and protect mov	ement over crossing e	even if devices are	
seen to be worki	ng			
OK Time:	Date:	Disp		
	Verbally Iss	ued Form X Res	striction	
	(Malf	unctioning Crossing)		
To:	FORM	/I X - Track Bulletin #_		
Automatic Cros	ssing Warning Devices at	MP (Na	ame)	
are malfunctionir	ng. Protect per GCOR Ru	le 6.32 (A).		
Track:				
	Date:			
	Verbally Is	sued TCM Rest	riction	
	(Track	Condition Message)		
To:	Track	Condition Message #	<u> </u>	
Between MP	Line Seg	and MP	Line Seg	
On Track				
Comments:				_
				_
				_
OK Time:	Date:	Disp		_

WHEN AUTHORIZED TO PASS STOP INDICATION:
"AFTER STOPPING,AT HAS AUTHORITY TO PASS (ENGINE #) (LOCATION)
SIGNAL DISPLAYING STOP INDICATION ()." ADD ROUTE & DIRECTION IF NECESSARY
WHEN AUTHORIZED TO ENTER CTC:
" AT HAS AUTHORITY TO ENTER (ENGINE #) (LOCATION) (TRACK)



Kansas City Terminal Railway

Track and Time N	No:		Date:				
To:			At:				
Authority Granted on	:						
BETWEEN	Northbound	Eastbound		Signal	at		
And	Southbound Northbound	Westbound Eastbound		Switch Signal	at		
	Southbound			_			
Begin Time:	Unitl Time	e:		Mi	nute No	tice to Clear	
Following:						_	
Joint With:						_	
OK Time:		Dispatcher:					
Authority Released be	etween	and _		_ at		<u>_</u> .	
Authority Released be	etween	and _		_ at			
Authority Released be	etween	and _		_ at		.	
Authority Released be	etween	and _		_ at		.	
Authority No	Released at:		Dispatcher:				
					_		
KCT			Kansas City			way	
	No:				_		
10:			At:				
Authority Granted on							
BETWEEN	Northbound Southbound	Eastbound Westbound		Signal Switch	at		
And	Northbound	Eastbound		Signal	at		
	Southbound	Westbound		Switch			
Begin Time:	Unitl Time	e:		Mi	nute No	tice to Clear	
Following:						_	
Joint With:						_	
OK Time:		Dispatcher:					
Authority Released b	etween	and _		_ at		<u></u>	
Authority Released be	etween	and _		_ at			
Authority Released be	etween	and _		_ at			
Authority Released be	etween	and _		_ at			
Authority No	Released at:		Dispatcher:		_		